CARBOHYDRATE RESEARCH VOL. 200 (1990)

AUTHOR INDEX

Albersheim, P., 9
Angyal, S. J., 181
Antonakis, K., 493
Aspinall, G. O., 247
Augé, C., 257
Azadi, P., 59

Baer, H. H., 377
Barnes, J. C., 77
BeMiller, J. N., 111
Benamghar, R., 493
Bernardinelli, G., 469
Bessodes, M., 493
Beurret, M., 59
Beynon, L. M., 457
Bizzozero, N., 469
Bock, K., 33
Brandenburg, H., 339
Breton, R. L., 377
Brimacombe, J. S., 77

Cashmore, G. C., 47
Casu, B., 101
Chai, W., 47
Cortes Garcia, R., 307

Darvill, A. G., 9
Defaye, J., 497
Dell, A., 59
Dutton, G. G. S., 449, 457

Ermolenko, M. S., 209
Esswein, A., 287

Feizi, T., 47
Fernandez-Fernandez, R., 257
Ferrier, R. J., 237
Focher, B., 101

Gadelle, A., 497
Garegg, P. J., 475
Gautheron, C., 257
Geoffroy, M., 469
Gluziński, P., 1
Gómez-Sánchez, A., 167
Grenni, A., 101

Hasegawa, A., 269
Hermosín, I., 167
Heume, M., 127
Hough, L., 307
Hounsell, E. F., 47
Hvidt, T., 33

Ibrahim, I. H., 247
Irvine, D. J., 77
Ishida, H., 269

Jackson, G. E., 409
Jennings, H. J., 59

Kalabokis, V. N., 111
Kameyama, A., 269
Khan, R., 189
Khare, N. K., 247
Kiso, M., 269
Kochetkov, N. K., 209
Köll, P., 339
Kopf, J., 339
Krajewski, J. W., 1

Lawson, A. M., 47
de Lederkremer, R. M., 227
Lehmann, J., 355
Lichtenthaler, F. W., 91
Lindberg, B., 429
Lindner, H. J., 91
Lipták, A., 201

Marino, C., 227
Marino-Albernas, J., 33
Marra, A., 319
Maya, I., 167
Michon, F., 59
Mufti, K. S., 189
Myers, R. W., 111

Naggi, A., 101
Nakahara, Y., 363
Neumann, B., 355
Nürnberger, H., 127

Ogawa, S., 486
Ogawa, T., 363
Oscarson, S., 475

Painter, T. J., 403
Patel, G., 189

Parolis, H., 449
Parolis, L. A. S., 449
Paulsen, H., 127
Pedersen, C., 497
Perlin, A. S., 437
Pitha, J., 429

Ramza, J., 1
Rao, C. T., 429
Ravenscroft, N., 409
Rej, R. N., 437
Rembold, H., 287
Richardson, A. C., 307

Schmidt, R. R., 287
Seelhorst, W., 339
Seffers, P., 429
Shen, Y., 377
Shibata, Y., 486
Sinaÿ, P., 319
Snatzke, G., 201
Stanley, S. M. R., 449
Stephen, A. M., 409
Stoll, M. S., 47
Sturgeon, R. J., 499
Stütz, A. E., 237
Suami, T., 486
Svensson, S. C. T., 391
Sviridov, A. F., 209
Szurmai, Z., 201

Takeo, K., 481
Thiem, J., 391
Thomas-Oates, J., 59
Tidén, A.-K., 475
Tiller, P., 59
Torri, G., 101
Tronchet, J. M. J., 469

Urbańczyk-Lipkowska, Z., 1

van Halbeek, H., 9
Varela, O., 227
Verez-Bencomo, V., 33
Virtuani, M., 101

Yadav, M. P., 111
Yashunsky, D. V., 209
York, W. S., 9

Zamojski, A., 1

CARBOHYDRATE RESEARCH VOL. 200 (1990)

SUBJECT INDEX

Acarviosin and 6-acetoxy analogue, synthesis of methyl hexa-*O*-acetyl, 486
Acetals of D-hexopyranose residues, a stereoselective synthesis of pyruvic 4,6-, 247
Alditols, 1-deoxy-1-nitro-, crystal structures of, 339
Alkyl glycosides, n.m.r. studies of aqueous systems of cyclomaltohexaose and, 101
O-Alkylation at the anomeric centre for the stereoselective synthesis of Kdo-α-glycosides, 287
Amino sugars, reaction of malondialdehyde with, 167
2-Amino-2-deoxy-D-glucose, a reinvestigation of the use of *N*-*p*-methoxybenzylidene derivatives of, as glycosyl donors, 319
3-Aminoinosose derivatives, two routes to enantiomerically pure, 237
Analysis of oligosaccharide epitopes of meningococcal lipopolysaccharides by f.a.b.-mass spectrometry, 59
1,6-Anhydro-β-D-glucopyranose (levoglucosan), stereocontrolled synthesis of lankanolide segments from, 209
Anomalous Zemplén deacylation reactions of 2-*O*-acyl-3-*O*-alkyl or -3-*O*-glycosyl derivatives of D-galactose and D-glucose, 201
Antigen, the structure of *Escherichia coli* K26, 457

Bacteriophage-mediated depolymerisation in investigations of the structure of the capsular polysaccharide from *Klebsiella* serotype K71, the use of, 409
"Bisected" structures of *N*-glycoproteins, synthesis of nonasaccharide sequence of, 127

Carbohydrates, a reappraisal of the complexing of copper ions with, 181
Chair distortion in "tetra-axial" derivatives of 2,3,4-tri-*O*-benzoyl-β-D-xylopyranose, on the extent of, 91
4-Chloro-4-deoxy-α-D-galactopyranosyl 3,4-anhydro-1,6-dichloro-1,6-dideoxy-β-D-*lyxo*-hexulofuranoside, synthesis and ring-opening reactions of, 189
Complexing of carbohydrates with copper ions: a reappraisal, 181
Configurational reassignment of *N*-substituted methyl 3,6-di-*O*-benzoyl-2-deoxy-2-hydroxyamino-α-D-hexopyranosid-4-uloses, 469
Conformational and X-ray investigation of 6-deoxy-7-*C*-(2-furyl)-1,2:3,4-di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranose, 1
Convenient preparation of per-2,6-di-*O*-methylcyclomalto-oligosaccharides, 481
Convenient syntheses of 5-*O*- and 3,5-di-*O*-(β-D-galactofuranosyl)-D-galactofuranose, 227
Copper ions, a reappraisal of the complexing of carbohydrates with, 181
Crystallographic conformations of two enopyranuronates, the effect of double-bond geometry on the, 77
Cyclomaltoheptaose, distribution of substituents in 2-hydroxypropyl ethers of, 429
Cyclomaltohexaose, n.m.r. studies of aqueous systems of alkyl glycosides and, 101
Cyclomalto-oligosaccharides, a convenient preparation of per-2,6-di-*O*-methyl-, 481

Deacylation reactions of 2-*O*-acyl-3-*O*-alkyl or -3-*O*-glycosyl derivatives of D-galactose and D-glucose, 201
1-Deoxy-1-nitroalditols, crystal structures of, 339
Details of the fine structure of nigeran revealed by the kinetics of its oxidation by periodate, 403
Diastereoisomers of the pseudodisaccharide (3,4,6/5)-3,4-epoxy-6-(β-D-galactopyranosylthio)-5-hydroxycyclohexene, synthesis of the, 355
Di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranose, X-ray and conformational investigation of 6-deoxy-7-*C*-(2-furyl)-1,2:3,4-, 1
Distribution of substituents in 2-hydroxypropyl ethers of cyclomaltoheptaose, 429
Double-bond geometry on the crystallographic conformations of two enopyranuronates, the effect of, 77

Enantiomers of galactose, the enzymic determination of the, 499
Enopyranuronates, the effect of double-bond geometry on the crystallographic conformations of two, 77
Enzymic determination of the enantiomers of galactose, 499
Escherichia coli K26 antigen, the structure of, 457
Escherichia coli O9:K57:H32, a structural investigation of the capsular polysaccharide of, 449

α-L-Fucosyl disaccharides, purification of α-L-fucosidase by *C*-glycosylic affinity chromatography, and the enzymic synthesis of, 391

O-(β-D-Galactofuranosyl)-D-galactofuranose, convenient syntheses of 5-*O*- and 3,5-di-, 227
(β-D-Galactopyranosylmethyl)amines and *C*-β-D-galactopyranosyl-formamides, *N*-substituted, and related compounds, synthesis, 111
Galactose, the enzymic determination of the enantiomers of, 499
Galacturonic acid trisaccharides, synthesis of (1→4)-linked, a proposed plant wound-hormone and a stereoisomer, 363
α-L-Galacturonic acid unit, conversion of α-L-iduronic 2-sulfate unit of heparin into, 437
Glycolipid of *Mycobacterium leprae*, n.m.r. and conformational analysis of the terminal trisaccharide from the serologically active, in different solvents, 33
N-Glycoproteins, synthesis of nonasaccharide sequence of "bisected" structure of, 127
Glycosyl donors, a reinvestigation of the use of *N*-3-methoxybenzylidene derivatives of 2-amino-2-deoxy-D-glucose as, 319
C-Glycosylic affinity chromatography, purification of α-L-fucosidase by, and the enzymic synthesis of α-L-fucosyl disaccharides, 391
Glycosyltransferases in the synthesis of sialyloligosaccharides, the use of immobilised, 257
Goniothalenol, a short route to α,β-unsaturated-7,3-lactone-nucleosides related to, 493

Heparin, conversion of α-L-iduronic acid 2-sulfate into α-L-galacturonic acid unit in, 437
High-sensitivity structural analyses of oligosaccharide probes (neoglycolipids) by liquid-secondary-ion mass spectrometry, 47
Hydroxypropyl ethers of cyclomaltoheptaose, distribution of substituent in 2-, 429

α-L-Iduronic acid 2-sulfate unit of heparin conversion into α-L-galacturonic acid unit of, 437
Interaction of cyclodextrins (cyclomalto-oligosaccharides) with glycolipids: n.m.r. studies of aqueous systems of cyclomaltohexaose and alkyl glycosides, 101

Kdo-α-glycosides, *O*-alkylation at the anomeric centre for the stereoselective synthesis of, 287
Klebsiella serotype K71, the use of bacteriophage-mediated depolymerisation in investigations of the structure of the capsular polysaccharide from, 409

Lankanolide segments, stereocontrolled synthesis of, from 1,6-anhydro-β-D-glucopyranose (levoglucosan), 209

Malondialdehyde, reaction of amino sugars with, 167
Mannopyranoside, synthesis of methyl 3-*O*-α-D-galactopyranosyl-6-α-D-mannopyranosyl-α-D-, and related trisaccharide glycosides, 475
Mass spectrometry, analysis of oligosaccharide epitopes of meningococcal lipopolysaccharides by f.a.b.-, 59
Mass spectrometry, high-sensitivity structural analyses of oliogsaccharide probes (neoglycolipids) by liquid-secondary-ion, 47
N-*p*-Methoxybenzylidene derivatives of 2-amino-2-deoxy-D-glucose as glycosyl donors, a reinvestigation of the use, 319
Methyl hexa-*O*-acetylacerviosin and the 6-acetoxy analogue, synthesis of, 486
Methyl 3,6-di-*O*-benzoyl-2-deoxy-2-hydroxyamino-α-D-hexopyranosid-4-uloses, a configurational reassignment of *N*-substituted, 469
Methyl 3-*O*-α-D-galactopyranosyl-6-*O*-α-D-mannopyranosyl-α-D-mannopyranoside and related trisaccharide glycosides, synthesis of, 475

Nigeran, details of the fine structure of, revealed by the kinetics of its oxidation by periodate, 403
1-Nitroalditols, 1-deoxy-, crystal structures of, 339
N.m.r. and conformational analysis of the terminal trisaccharide from the serologically active glycolipid of *Mycobacterium leprae* in different solvents, 33
Nonasaccharide sequence of "bisected" structure of *N*-glycoproteins, synthesis of, 127
Nucleosides related to goniothalenol, a short route to α,β-unsaturated-7,3-lactone-, 493

Oligosaccharide epitopes of meningococcal lipopolysaccharides, analysis by f.a.b.-mass spectrometry, 59
Oligosaccharide probes (neoglycolipids), high-sensitivity structural analyses of, by liquid-secondary-ion mass spectrometry, 47
Oligosaccharides, structural analysis of xyloglucan, by ^{1}H-n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9
Oxidation by periodate, details of the fine structure of nigeran revealed by the kinetics of its, 403

Pivaloylation, syntheses of hepta-, hexa-, and penta-pivalates of trehalose by selective, 307
Polysaccharide of *Escherichia coli* O9:K57:H32, a structural investigation of the capsular, 449
Polysaccharide from *Klebsiella* serotype K71, the use of bacteriophage-mediated depolymerisation in investigations of the structure of the capsular, 409

Preparation of per-2,6-di-*O*-methylcyclomaltooligosaccharides, a convenient, 481
Pseudodisaccharide (3,4,6/5)-3,4-epoxy-6-(β-D-galactopyranosylthio)-5-hydroxycyclohexene, synthesis of the diastereoisomers of the, 355
Purification of α-L-fucosidase by *C*-glycosylic affinity chromatography, and the enzymic synthesis of α-L-fucosyl disaccharides, 391
Pyruvic 4,6-acetals of D-hexopyranose residues, a stereoselective synthesis of, 247

Reaction of amino sugars with malondialdehyde, 167
Reactive pseudo-oligosaccharides as potential irreversible inhibitors for sugar-binding proteins: synthesis of the diastereoisomers of (3,4,6/5)-3,4-epoxy-6-(β-D-galactopyranosylthio)-5-hydroxycyclohexene, 355
Ring-opening reactions of 4-chloro-4-deoxy-α-D-galactopyranosyl 3,4-anhydro-1,6-dichloro-1,6-dideoxy-β-D-*lyxo*-hexulofuranoside, synthesis and, 189
Routes to enantiomerically pure 3-aminoinososе derivatives, 237

Sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, stereoselective synthesis of, 269
Sialyloligosaccharides, the use of immobilised glycosyltransferases in the synthesis of, 257
Simple preparation of 2,3,4,6-tetra-*O*-acetyl 1-*S*-acetyl-1-thio-α-D-glucopyranose, 497
Stereocontrolled synthesis of lankanolide from 1,6-anhydro-β-D-glucopyranose (levoglucosan): synthesis of the C-1/7 and C-8/15 segments, 209
Stereoselective synthesis of Kdo-α-glycosides, *O*-alkylation at the anomeric centre for the, 287
Stereoselective synthesis of pyruvic 4,6-acetals of D-hexopyranose residues, 247
Stereoselective synthesis of sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, 269
Structural analysis of xyloglucan oligosaccharides by ^{1}H-n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9
Structural investigation of the capsular polysaccharide of *Escherichia coli* O9:K57:H32, 449
Structure of *Escherichia coli* K26 antigen, 457
N-Substituted (β-D-galactopyranosylmethyl)amines, and *C*-β-D-galactopyranosylformamides, and related compounds, 111
N-Substituted methyl 3,6-di-*O*-benzoyl-2-deoxy-2-hydroxyamino-α-D-hexopyranosid-4-uloses: a configurational reassignment, 469
Syntheses of hepta-, hexa-, and penta-pivalates of trehalose by selective pivaloylation, 307
Syntheses of 5-*O*- and 3,5-di-*O*-(β-D-galactofuranosyl)-D-galactofuranose, convenient, 227
Synthesis and ring-opening reactions of 4-chloro-4-deoxy-α-D-galactopyranosyl 3,4-anhydro--1,6-dichloro-1,6-dideoxy-β-D-*lyxo*-hexulo-furanoside, 189
Synthesis of a trehalose homolog, 6-deoxy-α-D-*gluco*-heptopyranosyl 6-deoxy-α-D-*gluco*-heptopyranoside, and the corresponding bis(heptosiduronic acid), 377
Synthesis of (1→4)-linked galacturonic acid trisaccharides, a proposed plant wound-hormone and a stereoisomer, 363
Synthesis of methyl hexa-*O*-acetylacarviosin and the 6-acetoxy analogue, 486
Synthesis of methyl 3-*O*-α-D-galactopyranosyl-6-*O*-α-D-mannopyranosyl-α-D-mannopyranoside and related trisaccharide glycosides, 475
Synthesis of *O*-α-D-mannopyranosyl-(1→4)-*O*-α-D-rhamnopyranosyl-(1→3)-D-galactose and an intermediate for the preparation of 2-*O*-glycosyl-3-*O*-(α-D-mannopyranosyl)-D-glucoses, 201
Synthesis of sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, stereoselective, 269

"Tetra-axial" derivatives of 2,3,4-tri-*O*-benzoyl-β-D-xylopyranose, on the extent of chair distortion in, 91
2,3,4,6-Tetra-*O*-acetyl-1-*S*-acetyl-1-thio-α-D-glucopyranose, a simple preparation of, 497
1-Thio-α-D-glucopyranose, a simple preparation of 2,3,4,6-tetra-*O*-acetyl-1-*S*-acetyl-, 497
Trehalose homolog (6-deoxy-α-D-*gluco*-heptopyranosyl 6-deoxy-α-D-*gluco*-heptopyranoside), synthesis of a, and the corresponding bis(heptosiduronic acid), 377
Trehalose, syntheses of hepta-, hexa-, and penta-pivalates of, by selective pivaloylation, 307
2,3,4-Tri-*O*-benzoyl-β-D-xylopyranose, on the extent of chair distortion in "tetra-axial" derivatives of, 91
Trisaccharide from the serologically active glycolipid of *Mycobacterium leprae* in different solvents, n.m.r. and conformational analysis of the terminal, 33
Trisaccharides (a proposed plant wound-hormone and a stereoisomer), synthesis of (1→4)-linked galacturonic acid, 363
α,β-Unsaturated-7,3-lactone-nucleosides *via* an intramolecular Wittig reaction: a short route to nucleosides related to goniothalenol, 493
Use of immobilised glycosyltransferases in the synthesis of sialyloligosaccharides, 257

X-ray and conformational investigation of 6-deoxy-7-*C*-(2-furyl)-1,2:3,4-di-*O*-isopropylidene-L-*glycero*-α-D-*galacto*-heptopyranose, 1
Xyloglucan oligosaccharides, structural analysis of, by ^{1}H-n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9